

12Mega HD Flashlight Camera DVR GD-3421H



Feature:

- Flashlight with Screen, LED light, video&audio recording, photographing and USB disk functions.
- Video resolution 1920X1080, H.264, CMOS senor. Picture resolution 4032X3024.
- 1.5inch LCD monitor which support real time watching and playback.
- System support multi-language setup.
- IP65 waterproof, extremely durable; water and crush proof
- Removable 32GB SD card. Easily plug and play.
- Up to 5 hours of continuous use (LEDs + DVR), 24hrs standby
- Rechargeable large capacity Li-battery
- ISO90001, Patent letter, CE, FCC etc.

Application:

GD-2521/GD-3421 is very good for Police, Security, Military, Railway, Mines, Sport, Electricity power, Gas, Oil, Machinery maintenance etc. to security, patrol, inspection.





Specifications

- P	
Power	4W Cree LED
Brightness	300LM
Color Temperature	6500K
Image sensor	1/4 COMS
Camera	6mm Fixed focus, 0.5m- infinite
Display	1.5" TFT LCD (320x240)
Video format	MOV
Video compression format	H.264
Video resolution	1080P (1920*1080) 30FPS
	720P(1280*720) 30FPS
	WVGA (848*480) 60FPS
	VGA (640*480)
Photo format	JPG
Photo Resolution	12M(4032x3024) 10M(3648x2736)



8M(3264x2448) 5M(2592x1944)
3M(2048x1536) 2MHD(1920x1080)
VGA(640x480) 1.3M (1280 x 960)
100°
Standard 16GB, max.32GB Class10.
Auto
Date and time
Built in
Support
Support 10mins/20mins/30mins
Windows XP / Vista/ Win7/Win8, SP3 etc.
USB2.0
IP65
-10°C ~ 50°C
Strong light: ≥5.5hrs; Soft light: ≥24hrs;
Camera+Strong light≥3.5 hrs;
Camera + Soft light≥8hrs; Camera only: ≥10hrs
≤2h(8GB TF card) , ≤4h(16GB TF card)
5hrs
DC 5V=1.2A
≥1000 recharges
22650 Li- battery



Battery capacity	4000mAh
Weight	280g
Dimensions	200×45×29mm

Content:

1×Flashlight DVR 1×Rechargeable Li-Battery

1×USB Cable 1×Charger

1×16GB mini SD card 1×User Manual

1×Neutral box

Package: Tool Case



www.prismlighting.net

Prism Lighting Services, LLC. 6971 Business Park Blvd. N. Jacksonville, FL 32256 Phone: 904-880-9900 Fax:904-880-3241